

Carver Tubs  
2021-2023  
Product Catalog



[carvertubs.info](http://carvertubs.info)

# Carver Tubs

Since 1978

For 43 years we have manufactured quality products for sale throughout the USA.

In 2004, we launched our online division and began shipping bathtubs worldwide.

**We custom build the most innovative, hygienic, and eco-friendly whirlpool system available. We pride ourselves on being a family owned and employee friendly company.**

Questions?  
Call, Text or Email Anytime

866.935.8144

**carvertubs.info**

Travis Reynolds  
National Sales Rep  
1.866.935.8144

Travis Siebert  
Global Sales  
tmsiebert@carvertubs.com  
816.365.5284

Niki Wilson  
Local Order Desk  
niki@carvertubs.com  
816.767.4437

# Table of Contents

## Products

Freestanding Tubs	04 - 67
Drop In Tubs	84 - 151
Alcove Tubs	152 - 173
Shower Products	174 - 183

## Hydrotherapy


Systems & Upgrades	68 - 75
--------------------	---------



Innovations & Products	76 - 83
------------------------	---------



Retail Pricing, Pictures, & Specs available on  
**carvertubs.info**



# FREESTANDING TUBS DECK-MOUNT FAUCETS

---

PICTURED LEFT TO RIGHT

AMUR: Page 6-7

KASKADE: Page 14-15

FIJI: Page 42-43





# About

---



## Integrated Overflow System

The majority of our bathtubs include an integrated factory installed overflow system.



## Job Site Delivery Service

Job site delivery available.



## Deck-Mount Faucet Models

Many of our bathtubs can have faucets installed directly to the tub's top surface.



## Warranty

5 year Limited Warranty on bathtubs.



## Amur 70" Freestanding Soaking Tub



# Amur 70" Freestanding Soaking Tub

**Bathtub Dimensions:** 70.5" L x 32.5" W x 23" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Amur II 72" Freestanding Soaking Tub



# Amur II 72" Freestanding Soaking Tub

**Bathtub Dimensions:** 72" L x 36" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Aiden 65" Freestanding Soaking Tub**



# Aiden 65" Freestanding Soaking Tub

**Bathtub Dimensions:** 65" L x 30.5" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Aiden II 69" Freestanding Soaking Tub**





# Aiden II 69" Freestanding Soaking Tub

**Bathtub Dimensions:** 69" L x 31.5" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Kaskade 71" Freestanding Soaking Tub



# Kaskade 71" Freestanding Soaking Tub

**Bathtub Dimensions:** 71.25" L x 32" W x 23" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Deck-Mount Faucet Capability




Compatible Features



Drain & Overflow Color Finishes



## Kaskade II 72" Freestanding Soaking Tub



# Kaskade II 72" Freestanding Soaking Tub

**Bathtub Dimensions:** 72" L x 36" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Reflection I 59" Freestanding Soaking Tub



# Reflection I 59" Freestanding Soaking Tub

**Bathtub Dimensions:** 59" L x 31.5" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Reflection II 67" Freestanding Soaking Tub**





# Reflection II 67" Freestanding Soaking Tub

**Bathtub Dimensions:** 67" L x 31.5" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Reflection III 72" Freestanding Soaking Tub



# Reflection III 72" Freestanding Soaking Tub

**Bathtub Dimensions:** 72" L x 36" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Graceful | 59" Freestanding Soaking Tub



# Graceful I 59" Freestanding Soaking Tub

**Bathtub Dimensions:** 59" L x 29" W x 23" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Graceful II 67" Freestanding Soaking Tub



# Graceful II 67" Freestanding Soaking Tub

**Bathtub Dimensions:** 67" L x 31" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Zen 63" Freestanding Soaking Tub





# Zen 63" Freestanding Soaking Tub

**Bathtub Dimensions:** 63" L x 31.5" W x 24" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Contour 68" Freestanding Soaking Tub



# Contour 68" Freestanding Soaking Tub

**Bathtub Dimensions:** 68" L x 36" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## **Dreamer 67" Freestanding Soaking Tub**



# Dreamer 67" Freestanding Soaking Tub

**Bathtub Dimensions:** 67" L x 31" W x 23" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Arcadia 59" Freestanding Soaking Tub**



# Arcadia 59" Freestanding Soaking Tub

**Bathtub Dimensions:** 59" L x 27.5" W x 25" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Aphrodite 67" Freestanding Soaking Tub





# Aphrodite 67" Freestanding Soaking Tub

**Bathtub Dimensions:** 67" L x 31.5" W x 23" H

**Drain Location:** Center  
**Drain/Overflow:** Comes with kit  
**Material:** Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Maximus 69" Freestanding Soaking Tub



# Maximus 69" Freestanding Soaking Tub

**Bathtub Dimensions:** 69" L x 28.5" W x 28" H

**Drain Location:** Center  
**Drain/Overflow:** Comes With Kit  
**Material:** Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



## Elysium 67" Freestanding Soaking Tub



# Elysium 67" Freestanding Soaking Tub

**Bathtub Dimensions:** 67" L x 31" W x 23.5" H

**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



**Fiji 67" Freestanding Soaking Tub**



## Fiji 67" Freestanding Soaking Tub

**Bathtub Dimensions:** 67" L x 30" W x 27" H

**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Deck-Mount Faucet Capability



Compatible Features



Drain & Overflow Color Finishes



# FREESTANDING TUBS

## FLOOR-MOUNT FAUCETS

---

PICTURED LEFT TO RIGHT

DELANEY: Page 60-61

SERAPHINA: Page 50-51

BLISS: Page 56-57





# About

---



## Integrated Overflow System

The majority of our bathtubs include an integrated factory installed overflow system.



## Job Site Delivery Service

Job site delivery available.



## Floor-Mount Faucet Models

Many of our bathtubs can have faucets installed directly to the floor or wall.



## Warranty

5 year Limited Warranty on bathtubs.



## Harmony 67" Freestanding Soaking Tub



# Harmony 67" Freestanding Soaking Tub

**Bathtub Dimensions:** 67" L x 31.5" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Comes with kit  
**Material:** Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



## Journey 71" Freestanding Soaking Tub



# Journey 71" Freestanding Soaking Tub

**Bathtub Dimensions:** 71" L x 32" W x 24" H

**Drain Location:** Center  
**Drain/Overflow:** Comes with kit  
**Material:** Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



## Seraphina 59" Freestanding Soaking Tub



# Seraphina 59" Freestanding Soaking Tub

**Bathtub Dimensions:** 59" L x 29" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



## Rockefeller 69" Freestanding Soaking Tub





# Rockefeller 69" Freestanding Soaking Tub

**Bathtub Dimensions:** 69" L x 31.5" W x 24" H

**Drain Location:** Center  
**Drain/Overflow:** Comes with kit  
**Material:** Acrylic




Floor-Mount Faucet Required or Small Deck



Compatible Features



Drain & Overflow Color Finishes



**Tranquility 59" Freestanding Soaking Tub**



# Tranquility 59" Freestanding Soaking Tub

**Bathtub Dimensions:** 59" L x 31" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Floor-Mount Faucet Required




Compatible Features



Drain & Overflow Color Finishes



**Bliss 68.5" Freestanding Soaking Tub**



# Bliss 68.5" Freestanding Soaking Tub

**Bathtub Dimensions:** 68.5" L x 30" W x 23" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



## Trinity 69" Freestanding Soaking Tub



# Trinity 69" Freestanding Soaking Tub

**Bathtub Dimensions:** 69" L x 31" W x 23.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Floor-Mount/Wall-Mount Faucet  
Required



Compatible Features



Drain & Overflow Color Finishes



**Delaney 69" Freestanding Soaking Tub**





# Delaney 69" Freestanding Soaking Tub

**Bathtub Dimensions:** 69" L x 31" W x 27.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



**Vitality 59" Freestanding Soaking Tub**



# Vitality 69" Freestanding Soaking Tub

**Bathtub Dimensions:** 59" L x 31.5" W x 23" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



## Heavenly 72" Freestanding Soaking Tub



# Heavenly 72" Freestanding Soaking Tub

**Bathtub Dimensions:** 72" L x 31.5" W x 23.5" H

**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic




Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



**Destiny 59" Freestanding Soaking Tub**



## Destiny 59" Freestanding Soaking Tub

**Bathtub Dimensions:** 59" L x 27.5" W x 27.5" H

**Drain Location:** Center  
**Drain/Overflow:** Integrated  
**Material:** Acrylic





Floor-Mount Faucet Required



Compatible Features



Drain & Overflow Color Finishes



# QUICK GUIDE TO OUR HYDROTHERAPY OPTIONS



## SOAKING

- Classic Bathing Experience



## WHIRLPOOL

- Carver's Clean Whirlpool Tech







## AIR MASSAGE

- Heated Air Bubbles Provide a Gentle Massage



## VIBRO MASSAGE

- The Next Generation of Hydrotherapy



# WHIRLPOOL INFO



## WHIRLPOOL


- Carver's Clean Whirlpool Tech




## OUR CLEAN WHIRLPOOL



**MADE IN AMERICA,** Handcrafted by our bathtub experts in Carver Tub's State of the Art Facility, located right here in the USA.




**QUICK DRAIN,** Carver's exclusive "V" body design jets force water to drain from the Whirlpool Bathtub's pipes into the bathtub, guaranteeing a dry, clean system.




**NO FLEX,** PVC Schedule 40 pipes are heated and hand molded in Arches to form fit each of Carver Tubs unique Whirlpool Bathtubs. This process ensures that no water remains in the system after use and the leave the system dry and clean for years.



## THEIR 'CLEAN' WHIRLPOOL



**DIRTY,** There is nothing worse than a dirty bathtub! Here's why most Whirlpool Systems are unsanitary.



**FLEX PIPES & T JETS,** Easier to mass-produce, flex piping and 'T' style jets are often used by Whirlpool Bathtub Companies to save time and costs during the manufacturing process.



**WATER REMAINS IN SYSTEM,** Overtime, flex piping can wear and sag, allowing for residual water to remain after use in the system's piping. This 'standing water' is the culprit of foul odors or worse; blackish residue entering your bathtub when the system is first activated.

# AIR MASSAGE INFO





## AIR MASSAGE

- Heated Air Bubbles Provide a Gentle Massage



# AIR MASSAGE SYSTEM

# CLEANSING CYCLE



# VIBRO MASSAGE INFO



## VIBRO MASSAGE

- The Next Generation of Hydrotherapy



# VIBRO MASSAGE SYSTEM

It **PULSATES**, it **VIBRATES**, it **SEQUENCES**.

Depending on your body and muscle density, the massage can be totally personalized to be soft and gentle to relax you or to be more vigorous and deeply penetrate within your muscles to relieve the pain.



## PULSATION

The Vibro Massage System offers **various levels of power**, depending on your body and muscle density.



## VIBRATION

The Vibro Massage System offers **various levels of vibration**, allowing the massage to deeply penetrate within your muscles.




## SEQUENCES

The Vibro Massage System offers **different and unique Shiatsu massage sequences** that will offer a variety of massage where you need it most.




## SEQUENCE MODES



4 DIFFERENT ZONES / 8 VIBRO-SONIC JETS



## SEQUENCE MODES



4 DIFFERENT ZONES / 8 VIBRO-SONIC JETS



# HYDROTHERAPY INNOVATIONS



## WAVE SOUND

- Innovative Sound Wave Therapy



## INFRARED WARM

- Soothing Back Heat





# HYDROTHERAPY INNOVATIONS



## DROP IN DRAIN

- Installation Kit for Freestanding Bathtubs



**A Must-Have  
for Freestanding  
Tub Installs**



**Quick, Easy, and Clean!**

Installed during Rough-In phase.

# WAVE SOUND SYSTEM



## WAVE SOUND

- Innovative Sound Wave Therapy




The **WAVE SOUND** system connected by Bluetooth can easily be controlled through the electronic keypad or smart device.

Optional Chromatherapy system integration. The music is synchronized with LED lights and will change colors in sync with every beat of your favorite music.

Control the system with:



BACKLIT KEYPAD



ANDROID



IPHONE



**WAVESOUND**  
sound wave therapy



# INFRARED WARM SYSTEM



## INFRARED WARM

- Soothing Back Heat



The **INFRARED WARM** system is controlled with a keypad that offers two intensities of heat (high and low.)

Integrated 30 minute timer.

Eco-friendly, uses less energy than a common 60 Watt light bulb.



# CLASSIC HYDROTHERAPY UPGRADES



## CHROMOTHERAPY

- Light Up Your Bathtub!



## BATHTUB HEATER

- Keeps Your Whirlpool System Warm



# CLASSIC HYDROTHERAPY UPGRADES



## AROMATHERAPY

- Create Your Own Spa Experience



## OZONE SANITIZER

- Keeps Your Whirlpool System Clean



# BATHTUB ACCESSORIES


E

## ESSENTIALS

- Essential Bathing Accessories



Bathtub Handles  
for Safety



Drain & Overflow Kit Prevents Water  
From “Overflowing” the Bathtub



Pillows  
for Comfort

# DROP IN BATHTUB COLORS

**W**

## WHITE

- Carver's Classic White SW-7006



**C**

## CREAMY

- A Neutral Off-White SW-7012



# DROP IN TUBS


---

PICTURED LEFT TO RIGHT

AR7242: Page 130-131

SOD6941: Page 114-115

SR7148: Page 136-137





# About

---



## Eco-Friendly Manufacturing

Made from sustainable materials, waste is reduced through remanufacturing, reuse and recycling.



## Delivery & Install Service

We can deliver and properly install your bathtub. A plumber will still be needed to hook up the drain and faucet.



## High Quality Acrylic

Light weight and durable. Acrylic is warm to the touch, easy to clean and retains it's original color for years to come.



## Warranty

5 Year Limited Warranty on Bathtub  
2 Year Limited Warranty on Parts & Accessories




## AR6032 Drop In Soaking Bathtub



## AR6032 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	60" x 32" x 18"
<b>Rough In:</b>	58" x 30" x 20"
<b>Deck Cut-Out:</b>	58" x 30"
<b>Finished Deck Height:</b>	20"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	50 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## AR6036 Drop In Soaking Bathtub



## AR6036 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	60" x 36" x 18"
<b>Rough In:</b>	58" x 34" x 20"
<b>Deck Cut-Out:</b>	58" x 34"
<b>Finished Deck Height:</b>	20"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	50 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## RAR6036 Drop In Soaking Bathtub



## RAR6036 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	60" x 36" x 18"
<b>Rough In:</b>	58" x 34" x 20"
<b>Deck Cut-Out:</b>	58" x 34"
<b>Finished Deck Height:</b>	20"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	50 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



## SR6036 Drop In Soaking Bathtub






## SR6036 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	60" x 36" x 18"
<b>Rough In:</b>	58" x 34" x 20"
<b>Deck Cut-Out:</b>	58" x 34"
<b>Finished Deck Height:</b>	20"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	55 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**DJO5839 Drop In Soaking Bathtub**



## DJO5839 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	58" x 39" x 18.5"
<b>Rough In:</b>	57" x 37" x 20.5"
<b>Deck Cut-Out:</b>	Template Available
<b>Finished Deck Height:</b>	20.5"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	60 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## AR6042 Drop In Soaking Bathtub



## AR6042 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	60" x 42" x 20.5"
<b>Rough In:</b>	58" x 39" x 22"
<b>Deck Cut-Out:</b>	58" x 39"
<b>Finished Deck Height:</b>	22"
<b>Drain Location:</b>	Center Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	65 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## SR6042 Drop In Soaking Bathtub



## SR6042 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	60" x 42" x 19"
<b>Rough In:</b>	58" x 40" x 21"
<b>Deck Cut-Out:</b>	58" x 40"
<b>Finished Deck Height:</b>	21"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	65 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



## CT6060 Drop In Soaking Bathtub






## CT6060 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	60" x 60" x 19.5"
<b>Rough In:</b>	58" x 58" x 21"
<b>Deck Cut-Out:</b>	58" x 58"
<b>Finished Deck Height:</b>	21"
<b>Drain Location:</b>	Front, Center
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	75 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backre

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**CK5959 Drop In Soaking Bathtub**



## CK5959 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	59" x 59" x 20.5"
<b>Rough In:</b>	57" x 57" x 22.5"
<b>Deck Cut-Out:</b>	57" x 57"
<b>Finished Deck Height:</b>	22.5"
<b>Drain Location:</b>	Front Right
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	80 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## JT5959 Drop In Soaking Bathtub



## JT5959 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	59" x 59" x 21.5"
<b>Rough In:</b>	57" x 57" x 23.5"
<b>Deck Cut-Out:</b>	57" x 57"
<b>Finished Deck Height:</b>	23.5"
<b>Drain Location:</b>	Front, Center
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	90 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## ME6060 Drop In Soaking Bathtub



## ME6060 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	60" x 60" x 19"
<b>Rough In:</b>	58" x 58" x 21"
<b>Deck Cut-Out:</b>	58" x 58"
<b>Finished Deck Height:</b>	21"
<b>Drain Location:</b>	Front, Center
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	70 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



## SKC5555 Drop In Soaking Bathtub






## SKC5555 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	55" x 55" x 18.5"
<b>Rough In:</b>	53" x 53" x 20"
<b>Deck Cut-Out:</b>	53" x 53"
<b>Finished Deck Height:</b>	20"
<b>Drain Location:</b>	Front, Right
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	70 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## CW6464 Drop In Soaking Bathtub



## CW6464 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	64" x 64" x 21"
<b>Rough In:</b>	62" x 62" x 23"
<b>Deck Cut-Out:</b>	62" x 62"
<b>Finished Deck Height:</b>	23"
<b>Drain Location:</b>	Front Left
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	94 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## AR6532 Drop In Soaking Bathtub



## AR6532 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	65" x 32" x 18.5"
<b>Rough In:</b>	63" x 30" x 20.5"
<b>Deck Cut-Out:</b>	63" x 30"
<b>Finished Deck Height:</b>	20.5"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	60 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**SOD6941 Drop In Soaking Bathtub**



## SOD6941 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	69" x 41" x 18"
<b>Rough In:</b>	66" x 38" x 20"
<b>Deck Cut-Out:</b>	Template Available
<b>Finished Deck Height:</b>	20"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	75 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



**TOD6841 Drop In Soaking Bathtub**






## TOD6841 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	68" x 41" x 20"
<b>Rough In:</b>	65" x 37" x 22"
<b>Deck Cut-Out:</b>	Template Available
<b>Finished Deck Height:</b>	22"
<b>Drain Location:</b>	Front, Center
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	70 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## AR7236 Drop In Soaking Bathtub



## AR7236 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	71.5" x 36" x 18"
<b>Rough In:</b>	69" x 34" x 20"
<b>Deck Cut-Out:</b>	69" x 34"
<b>Finished Deck Height:</b>	20"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	70 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## AT7135 Drop In Soaking Bathtub



## AT7135 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	71" x 35" x 19"
<b>Rough In:</b>	69" x 33" x 21"
<b>Deck Cut-Out:</b>	69" x 33"
<b>Finished Deck Height:</b>	21"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	65 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## DAR7236 Drop In Soaking Bathtub



## DAR7236 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	72" x 36" x 21"
<b>Rough In:</b>	70" x 34" x 23"
<b>Deck Cut-Out:</b>	70" x 34"
<b>Finished Deck Height:</b>	23"
<b>Drain Location:</b>	Center Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	65 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



## DH7136 Drop In Soaking Bathtub






## DH7136 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	71" x 36" x 18"
<b>Rough In:</b>	69" x 34" x 20"
<b>Deck Cut-Out:</b>	69" x 34"
<b>Finished Deck Height:</b>	20"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	70 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## KJ7136 Drop In Soaking Bathtub



## KJ7136 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	71" x 36" x 18.5"
<b>Rough In:</b>	69" x 34" x 21"
<b>Deck Cut-Out:</b>	69" x 34"
<b>Finished Deck Height:</b>	21"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	70 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## RAR7236 Drop In Soaking Bathtub



## RAR7236 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	72" x 36" x 18"
<b>Rough In:</b>	69" x 34" x 20"
<b>Deck Cut-Out:</b>	69" x 34"
<b>Finished Deck Height:</b>	20"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	70 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## AR7242 Drop In Soaking Bathtub



## AR7242 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	72" x 42" x 20.5"
<b>Rough In:</b>	69" x 39" x 22"
<b>Deck Cut-Out:</b>	69" x 39"
<b>Finished Deck Height:</b>	22"
<b>Drain Location:</b>	Center Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	75 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



## SR7242 Drop In Soaking Bathtub






## SR7242 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	72" x 42" x 19"
<b>Rough In:</b>	69" x 39" x 21"
<b>Deck Cut-Out:</b>	69" x 39"
<b>Finished Deck Height:</b>	21"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	75 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## DAR7248 Drop In Soaking Bathtub



## DAR7248 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	72" x 48" x 21"
<b>Rough In:</b>	69" x 45" x 24"
<b>Deck Cut-Out:</b>	69" x 45"
<b>Finished Deck Height:</b>	24"
<b>Drain Location:</b>	Center Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	80 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## SR7148 Drop In Soaking Bathtub



## SR7148 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	71" x 48" x 19.5"
<b>Rough In:</b>	69" x 46" x 22"
<b>Deck Cut-Out:</b>	69" x 46"
<b>Finished Deck Height:</b>	22"
<b>Drain Location:</b>	End Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	85 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




## TPL7248 Drop In Soaking Bathtub



## TPL7248 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	72" x 48" x 19.5"
<b>Rough In:</b>	69" x 46" x 22.5"
<b>Deck Cut-Out:</b>	69" x 46"
<b>Finished Deck Height:</b>	22.5"
<b>Drain Location:</b>	Front, Center
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	70 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



## TMS7248 Drop In Soaking Bathtub






## TMS7248 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	72" x 48" x 18"
<b>Rough In:</b>	69" x 45" x 21"
<b>Deck Cut-Out:</b>	69" x 45"
<b>Finished Deck Height:</b>	21"
<b>Drain Location:</b>	Front, Center
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	95 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**BE7260 Drop In Soaking Bathtub**



## BE7260 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	72" x 60" x 19"
<b>Rough In:</b>	67" x 57" x 22"
<b>Deck Cut-Out:</b>	67" x 57"
<b>Finished Deck Height:</b>	22"
<b>Drain Location:</b>	Center Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	100 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**FL7272 Drop In Soaking Bathtub**




## FL7272 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	72" x 72" x 18"
<b>Rough In:</b>	69" x 69" x 20"
<b>Deck Cut-Out:</b>	69" x 69"
<b>Finished Deck Height:</b>	20"
<b>Drain Location:</b>	Fixed, can rotate tub
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	100 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*




**NW7272 Drop In Soaking Bathtub**



## NW7272 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	72" x 72" x 21"
<b>Rough In:</b>	70" x 70" x 23"
<b>Deck Cut-Out:</b>	70" x 70"
<b>Finished Deck Height:</b>	23"
<b>Drain Location:</b>	Front, Center
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	90 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



## RO7676 Drop In Soaking Bathtub






## RO7676 Drop In Soaking Bathtub

<b>Bathtub Dimensions:</b>	76" x 76" x 24"
<b>Rough In:</b>	73" x 73" x 24"
<b>Deck Cut-Out:</b>	73" x 73"
<b>Finished Deck Height:</b>	24"
<b>Drain Location:</b>	Center Drain
<b>Material:</b>	Acrylic
<b>Tub Floor:</b>	Slip-Resistant
<b>Water Capacity:</b>	150 Gallons
<b>Overflow Hole:</b>	Un-drilled
<b>Set in Mortar?:</b>	Yes
<b>Motor Installation:</b>	Mounted under backrest

*Carver requires one (1) 20 AMP dedicated GFCI Breaker for each power supply provided with the bathtub*



## SQ7777 Drop In Soaking Bathtub





## ALCOVE TUBS

---

ALL6030: Page 150-151

ALL6632: Page 162-163

ALR6036: Page 160-161



# About

---



## Eco-Friendly Manufacturing

Made from sustainable materials, waste is reduced through remanufacturing, reuse and recycling.



## Delivery & Install Service

We can deliver and properly install your bathtub. A plumber will still be needed to hook up the drain and faucet.



## High Quality Acrylic

Light weight and durable. Acrylic is warm to the touch, easy to clean and retains it's original color for years to come.



## Warranty

5 Year Limited Warranty on Bathtub  
2 Year Limited Warranty on Parts & Accessories



## ALL6030 Alcove Soaking Tub



# ALL6030 Alcove Soaking Tub


**Bathtub Dimensions:** 60" L x 30" W x 21.5" H  
**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



- A: Acrylic
- W: Water
- V: Vibration
- Lightbulb: Sound Wave Therapy
- Waves: Infrared Warm
- Soundwave: WAVESOUND sound wave therapy

## ALR6030 Alcove Soaking Tub





# ALR6030 Alcove Soaking Tub



**Bathtub Dimensions:** 60" L x 30" W x 21.5" H  
**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALL6032 Alcove Soaking Tub



# ALL6032 Alcove Soaking Tub



**Bathtub Dimensions:** 60" L x 32" W x 21.75" H  
**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALR6032 Alcove Soaking Tub



# ALR6032 Alcove Soaking Tub


**Bathtub Dimensions:** 60" L x 32" W x 21.75" H  
**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALL6036 Alcove Soaking Tub



# ALL6036 Alcove Soaking Tub


**Bathtub Dimensions:** 60" L x 36" W x 21.75" H  
**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



**ALR6036 Alcove Soaking Tub**





# ALR6036 Alcove Soaking Tub


**Bathtub Dimensions:** 60" L x 36" W x 21.75" H  
**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



**ALL6632 Alcove Soaking Tub**



# ALL6632 Alcove Soaking Tub


**Bathtub Dimensions:** 66" L x 32" W x 20.5" H  
**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALR6632 Alcove Soaking Tub



# ALR6632 Alcove Soaking Tub


**Bathtub Dimensions:** 66" L x 32" W x 20.5" H  
**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALL6636 Alcove Soaking Tub



# ALL6636 Alcove Soaking Tub


**Bathtub Dimensions:** 66" L x 36" W x 20.5" H  
**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



## ALR6636 Alcove Soaking Tub





# ALR6636 Alcove Soaking Tub


**Bathtub Dimensions:** 66" L x 36" W x 20.5" H  
**Drain Location:** End  
**Drain/Overflow:** Integrated  
**Material:** Acrylic



Deck-Mount Faucet Capability



Drain & Overflow Color Finishes



# SHOWER PRODUCTS

---

PICTURED LEFT TO RIGHT

01074: Page 172

4878: Page 176

01076: Page 173



# About

---



## Eco-Friendly Manufacturing

Made from sustainable materials, waste is reduced through remanufacturing, reuse and recycling.



## Delivery & Install Service

Job site delivery available.



## High Quality Acrylic

Light weight and durable. Acrylic is warm to the touch, easy to clean and retains it's original color for years to come.




## Warranty

5 Year Limited Warranty on Shower Pans.




## 01074 Euro Slim Line Shower Pan

**Pan Dimensions:** 48" x 32" x 3.5"  
**Drain Location:** Center Drain  
**Material:** Acrylic  
**Shower Floor:** Slip-Resistant




## 01076 Euro Slim Line Shower Pan

**Pan Dimensions:** 48" x 34" x 3.5"  
**Drain Location:** Center Drain  
**Material:** Acrylic  
**Shower Floor:** Slip-Resistant




## 01075 Euro Slim Line Shower Pan

**Pan Dimensions:** 60" x 32" x 3.5"  
**Drain Location:** Center Drain  
**Material:** Acrylic  
**Shower Floor:** Slip-Resistant



## 01077 Euro Slim Line Shower Pan

**Pan Dimensions:** 60" x 34" x 3.5"  
**Drain Location:** Center Drain  
**Material:** Acrylic  
**Shower Floor:** Slip-Resistant



## 6059 Shower Sliding Door

**Dimensions:**

60" L x 59" H

**Frame:**

Stainless Steel

**Handles:**

Stainless Steel

**Glass:**

3/8" Tempered Glass



Frame Color Finishes




Chrome



Black



Brushed Nickel





## 6659 Shower Sliding Door

**Dimensions:**

**Frame:**

**Handles:**

**Glass:**

66" L x 59" H

Stainless Steel

Stainless Steel

3/8" Tempered Glass



Frame Color Finishes




Chrome



Black



Brushed Nickel



## 4878 Shower Sliding Door

**Dimensions:**

48" L x 78" H

**Frame:**

Stainless Steel

**Handles:**

Stainless Steel

**Glass:**

3/8" Tempered Glass



Frame Color Finishes



Chrome



Black



Brushed Nickel



## 6078 Shower Sliding Door

**Dimensions:**

60" L x 78" H

**Frame:**

Stainless Steel

**Handles:**

Stainless Steel

**Glass:**

3/8" Tempered Glass



Frame Color Finishes



Chrome



Black



Brushed Nickel



CARVER TUBS  
3303 MAIN STREET  
GRANDVIEW, MO 64030  
[carvertubs.info](http://carvertubs.info)



**ECO-FRIENDLY**  
ENVIRONMENTALLY CONSCIOUS

